









Facade:


mage not dund or type unknown


Layout:

Facade 2:

mage not found or type unknown











Length interior/exterior 4,5/5,6 Width interior/exterior 3,2/4,1 Height interior/exterior 2,45/3 Area 14,40 Number of beds - Number of bedrooms - Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2,5 Transport height 0,9 B1 CHASSIS - Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR - Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS X Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X	A1 GENERAL	
Width interior/exterior 3,2/4,1 Height interior/exterior 2,45/3 Area 14,40 Number of beds - Number of bedrooms - Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS Very Company Leveling Feet 0,1-2% Subframework of spruce wood X Anchoring kit 0 E2 FLOOR Very Carpet Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS X Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system 0 Winter cover 0	-	4.5/5.6
Height interior/exterior 2,45/3 Area 14,40 Number of beds - Number of bedrooms - Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS - Leveling Feet 0,1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR X Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS X Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Winter cover 0 Interior canvas Subrenat CAMP420PC 2I 420g/m2 X		
Area 14,40 Number of beds - Number of bedrooms - Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS - Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 E2 FLOOR - Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS X Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Master key for pad lock system 0 Winter cover 0 Interior canvas Subrenat CAMP420PC 2I 420g/m2 X		
Number of beds - Number of bedrooms - Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS - Leveling Feet 0,1-2% Subframework of spruce wood X Anchoring kit 0 E2 FLOOR - Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS - Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Winter cover 0 Interior canvas Subrenat CAMP420PC 2I 420g/m2 X		·
Number of bathrooms - Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS Subframework of spruce wood X Anchoring kit 0 B2 FLOOR Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS S Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Winter cover 0 Interior canvas Subrenat CAMP420PC 2I 420g/m2 X		-
Kitchen - Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS Leveling Feet 0, 1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system 0 Winter cover 0 Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Number of bedrooms	_
Transport length 2,5 Transport width 2 Transport height 0,9 B1 CHASSIS Leveling Feet 0,1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Number of bathrooms	-
Transport width 2 Transport height 0,9 B1 CHASSIS	Kitchen	_
Transport width 2 Transport height 0,9 B1 CHASSIS	Transport length	2,5
Transport height 0,9 B1 CHASSIS Leveling Feet 0,1-2% Subframework of spruce wood X Anchoring kit 0 B2 FLOOR Carpet 0 Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) 0 Interior canvas TenCate Campshield FR2 290g/m2 (FR) 0 Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system 0 Winter cover 0 Interior canvas Subrenat CAMP420PC 21 420g/m2 X		2
B1 CHASSIS Leveling Feet O, 1-2% Subframework of spruce wood X Anchoring kit O B2 FLOOR Carpet O Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	·	0,9
Leveling Feet O, 1-2% Subframework of spruce wood X Anchoring kit O B2 FLOOR Carpet O Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	·	
Subframework of spruce wood X Anchoring kit O B2 FLOOR Carpet O Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	B1 CHASSIS	
Anchoring kit O B2 FLOOR Carpet O Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X		O, 1-2%
B2 FLOOR Carpet O Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Subframework of spruce wood	X
Carpet O Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Anchoring kit	0
Larchwood boards floor X B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	B2 FLOOR	
B3 EXTERIOR WALLS Construction poles Pinewood KVH 60 x 100 X Roof canvas TenCate Campshield FR1 420g/m2 (FR) O Interior canvas TenCate Campshield FR2 290g/m2 (FR) O Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Carpet	0
Construction poles Pinewood KVH 60 x 100 Roof canvas TenCate Campshield FR1 420g/m2 (FR) Interior canvas TenCate Campshield FR2 290g/m2 (FR) Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system O Winter cover Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Larchwood boards floor	X
Roof canvas TenCate Campshield FR1 420g/m2 (FR) Interior canvas TenCate Campshield FR2 290g/m2 (FR) Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system Winter cover Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	B3 EXTERIOR WALLS	
Interior canvas TenCate Campshield FR2 290g/m2 (FR) Window with mosquito net X Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system Winter cover Interior canvas Subrenat CAMP420PC 2I 420g/m2 O	Construction poles Pinewood KVH 60 x 100	Χ
Window with mosquito net Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system Winter cover Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Roof canvas TenCate Campshield FR1 420g/m2 (FR)	0
Front entrance opening section on zipper X Mosquito net for entrance opening X Pad lock system X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Interior canvas TenCate Campshield FR2 290g/m2 (FR)	0
Mosquito net for entrance opening X Pad lock system X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Window with mosquito net	Χ
Pad lock system X Master key for pad lock system O Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Front entrance opening section on zipper	Χ
Master key for pad lock system Winter cover Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Mosquito net for entrance opening	X
Winter cover O Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Pad lock system	Χ
Interior canvas Subrenat CAMP420PC 2I 420g/m2 X	Master key for pad lock system	0
	Winter cover	0
Roof Subrenat CAMP420PC 2I 420g/m2 X	Interior canvas Subrenat CAMP420PC 2I 420g/m2	X
	Roof Subrenat CAMP420PC 2I 420g/m2	X

E1 EXTERIOR EQUIPMENT





Canopy over entrance	Χ
Terrace floor 4000x1000 mm	0



Legal Notice

The information on this website is provided "as is" and without warranty of any kind, expressed or implied, including (but not limited to) any implied warranties of merchantability and non- infringement of third party rights. While the information provided is believed to be accurate, it may include errors or inaccuracies. In no event shall Adria Home be liable to any person for any special, indirect or consequential damages relating to this material, unless caused by gross negligence or intentional misconduct. The purpose of this website is illustrative. The website may show vizuals which may include some elements not belonging to the standard equipment or portray products which may not be available in all markets. Products may change in terms of technical specification and commercial details and in relation to specific regulations. You are advised to always contact your selected Adria representative to obtain all detailed information prior to purchasing.

Copyright

Copyright © Adria Home Ltd., Črnomelj, Slovenia 2019-20. All rights reserved. The text, images, graphics, sound files, animation files, video files, and their arrangement on the Adria Home website are all subject to copyright and other intellectual property protection. These objects may not be copied for commercial use or distribution, nor may these objects be modified or reposted to other sites. Adria Home website may contain images whose copyrights are attributable to third parties.

Adria Home Ltd.

Kanižarica 135, SI-8340 Črnomelj, Slovenija, Tel: +386 (0) 7 35 69 100 E-mail: info@adria-home.com

adria-home.com, www.adria-holidays.net

#AdriaHome #AdriaGlamping









